

# **SAFETY DATA SHEET**

[Required under safety and health regulations for shipping and handling]

Version: 2019 Date Updated: September 12, 2019

# SECTION 1. ----- PRODUCT AND COMPANY IDENTIFICATION------

Product Name Product Code(s) Recommended Use	One Step RNA Reagent(Trizol Buffer Rlysis-A/B/F) #97 For Laboratory Research Use Only Not for Human or Animal Drug Use
Supplier Address	Bio Basic Inc. 20 Konrad Crescent, Markham, Ontario, Canada, L3R 8T4

 Telephone
 (905) 474 4493

 Fax
 (905) 474 5794

 For Chemical Emergency Phone#
 (416) 995 9730

### SECTION 2. ----- HAZARDS IDENTIFICATION -----

### Classification of the substance or mixture

GHS Classification in accordance with Hazardous Products Regulations (HPR) (SOR/2015-17) Flammable liquids (Category 4), H227 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Germ cell mutagenicity (Category 2), H341 Specific target organ toxicity - repeated exposure (Category 2), Nervous system, Kidney, Liver, Skin, H373 Short-term (acute) aquatic hazard (Category 2), H401 Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

# GHS Label elements, including precautionary statements





Signal word	Danger
Hazard statement(s)	
H227	Combustible liquid.
H301 + H311 + H331	Toxic if swallowed, in contact with skin or if inhaled.
H314	Causes severe skin burns and eye damage.
H341	Suspected of causing genetic defects.
H373	May cause damage to organs (Nervous system, Kidney, Liver, Skin) through prolonged or repeated exposure.
H401	Toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and

QF26 Rev 2

P210Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.P260Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.	
r 200 Do not breathe dust/ rune/ gas/ mist/ vapours/ spray.	
P264 Wash skin thoroughly after handling.	
P270 Do not eat, drink or smoke when using this product.	
P271 Use only outdoors or in a well-ventilated area.	
P273 Avoid release to the environment.	
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.	
P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth.	
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated	
clothing. Rinse skin with water.	
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable	
for breathing. Immediately call a POISON CENTER/doctor.	
P305 + P351 + P338 + IF IN EYES: Rinse cautiously with water for several minutes.	
P310 Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.	
P308 + P313 IF exposed or concerned: Get medical advice/ attention.	
P361 + P364 Take off immediately all contaminated clothing and wash it	
before reuse.	
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant	
foam to extinguish.	
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.	
P405 Store locked up.	
P501 Dispose of contents/ container to an approved waste disposal	
plant.	

# Hazards not otherwise classified (HNOC) or not covered by GHS

Contact with acids liberates very toxic gas. Vesicant., Rapidly absorbed through skin.

# SECTION 3. ---- COMPOSITION/INFORMATION ON INGREDIENTS -----

Chemical Name	EC No.	CAS-No	Weight %
Phenol	203-632-7	108-95-2	31
Guanidine Thiocyanate	209-812-1	593-84-0	5-10
Ammonium Thiocyanate	217-175-6	1762-95-4	0-5
Sodium acetate	204-823-8	127-09-3	0-1
bate-Mercaptoethanol	200-464-6	60-24-2	0-1
Glycerol	200-289-5	56-81-5	5
Water	231-791-2	7732-18-5	48-59

# SECTION 4. ------ FIRST-AID MEASURES------

### **Description of first aid measures**

### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.Move out of dangerous area.

# If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a

### physician.

### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.Continue rinsing eyes during transport to hospital.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Indication of any immediate medical attention and special treatment needed No data available

# SECTION 5. ----- FIRE FIGHTING MEASURES -----

### Extinguishing media

Suitable extinguishing media Dry powder Dry sand

Unsuitable extinguishing media Do NOT use water jet.

**Special hazards arising from the substance or mixture** Carbon oxides, Nitrogen oxides (NOx), Sulphur oxides

### Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information No data available

### SECTION 6. ----- ACCIDENTAL RELEASE MEASURES------

### Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Do not flush with water. Keep in suitable, closed containers for disposal.

### Reference to other sections

For disposal see section 13.

### SECTION 7. ----- HANDLING AND STORAGE-----

### Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.

### Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Never allow product to get in contact with water during storage. Do not store near acids. Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

### Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated

# SECTION 8. ---- EXPOSURE CONTROLS/PERSONAL PROTECTION-----

Components	CAS-No.	Value	Control parameters	Basis	
Phenol	108-95-2	TWA	5.000000 ppm 19.000000 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)	
Remarks	Substance m	may be readily absorbed through intact skin			
		TWA	5.000000 ppm	Canada. British Columbia OEL	
	Contributes s	tributes significantly to the overall exposure by the skin route.			
		TWAEV	5.000000 ppm 19.000000 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants	
	Skin (percuta	neous)			
		TWA	5.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)	

### Components with workplace control parameters

### **Exposure controls**

### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

### Personal protective equipment

### Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 120 min

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# SECTION 9. ----- PHYSICAL AND CHEMICAL PROPERTIES -----

### Appearance

Form	clear
Colour	colourless
Safety data	
рН	No data available
Melting point/freezing point	No data available
Boiling point	No data available
Flash point	No data available
Ignition temperature	No data available
Auto-ignition temperature	No data available
Lower explosion limit	No data available
Upper explosion limit	No data available
Vapour pressure	No data available
Density	No data available
Water solubility	No data available
Partition coefficient: n-octanol/water	No data available
Relative vapour density	No data available
Odour	No data available

Odour ThresholdNo data availableEvaporation rateNo data available

# SECTION 10. ------STABILITY AND REACTIVITY ------

### Reactivity

No data available

# **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions No data available

### **Conditions to avoid**

Heat, flames and sparks. Light. Heat, flames and sparks.

### Incompatible materials

Strong oxidizing agents, Strong bases, Strong acids, Metals

### Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx), Sulphur oxides Other decomposition products - Hydrogen cyanide (hydrocyanic acid) In the event of fire: see section 5

### SECTION 11. ----- TOXICOLOGICAL INFORMATION ------

### Information on toxicological effects

Acute toxicity No data available

Inhalation: No data available

Dermal: No data available

No data available

### Skin corrosion/irritation No data available

# Serious eye damage/eye irritation

No data available

# Respiratory or skin sensitisation

No data available

# Germ cell mutagenicity

No data available

# Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

### **Reproductive toxicity**

No data available No data available

### Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

# Additional Information

RTECS: Not available

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Circulatory collapse, tachypnea, paralysis, Convulsions, Coma., necrosis of mouth and G.I. Tract, Jaundice, respiratory failure, cardiac arrest

### SECTION 12. ----- ECOLOGICAL INFORMATION -----

**Toxicity** No data available

Persistence and degradability No data available

**Bioaccumulative potential** No data available

**Mobility in soil** No data available

# Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life.

# SECTION 13. ----- DISPOSAL CONSIDERATIONS ------

### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

# Contaminated packaging

Dispose of as unused product.

### SECTION 14. ----- TRANSPORT INFORMATION -----

### DOT (US)

UN number: 2922 Class: 8 (6.1) Packing group: II Proper shipping name: Corrosive liquids, toxic, n.o.s. (Guanidinium thiocyanate, Phenol) (Phenol, Guanidinium thiocyanate) Reportable Quantity (RQ): 2000 lbs Poison Inhalation Hazard: No

### IMDG

UN number: 2922 Class: 8 (6.1) Packing group: II EMS-No: F-A, S-B Proper shipping name: CORROSIVE LIQUID, TOXIC, N.O.S. (Guanidinium thiocyanate, Phenol) (Phenol, Guanidinium thiocyanate)

QF26 Rev 2

# ΙΑΤΑ

UN number: 2922 Class: 8 (6.1) Packing group: II Proper shipping name: Corrosive liquid, toxic, n.o.s. (Guanidinium thiocyanate, Phenol) (Phenol, Guanidinium thiocyanate)

# SECTION 15. ----- REGULATORY INFORMATION -----

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

#### SECTION 16. ----- OTHER INFORMATION-----

Further information: no limited for paper copy, just for internal uses. For research use only. Not intended for human or animal diagnostic or therapeutic uses.

#### Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

Issuing Date: 12-Sept-2019

**End of MSDS**